



You're home.™



# Air

## User Guide

C89-MA-Be/C87-MA-PFe/C89-MA-Pe/C89-MA-Te




# Contents

Contents	1
Machine Overview	2
General Safety Information	3
Getting Started	4
Maintenance	5
Looking After Your Machine — Filters	6
Looking After Your Machine — Removing Blockages	7
FAQs	8
Other Information	9
Guarantee	10

# Machine Overview

- 1 Hose connector
- 2 Dirt container
- 3 Cyclone separator and shroud
- 4 Carry handle
- 5 Dirt container release button
- 6 Cord rewind button (hidden)
- 7 Floor head parking slot
- 8 On/off button
- 9 Post-motor filter cover
- 10 Primary separator
- 11 HEPA Media post-motor filter
- 12 Pre-motor filter
- 13 Combination floor head (some models only)
- 14 Telescopic extension tube
- 15 Dusting brush
- 16 Crevice tool
- 17 Flexible hose and handle
- 18 Flexi crevice tool
- 19 TurboTool (some models only)
- 20 Stretch hose (some models only)
- 21 Upholstery tool
- 22 Tool connector (some models only)



**NOTE:** Some parts may vary according to model. Please check inside flap of box for more details.

# General Safety Information

**This vacuum cleaner is intended for household use only and NOT for commercial or industrial use.  
Please keep instructions for further use.**

When using the vacuum cleaner basic safety precautions should always be observed, including the following:


1. Do not leave the vacuum cleaner unattended when plugged in. Unplug the appliance from the socket when not in use.
2. Only use the vacuum cleaner indoors on dry surfaces.
3. Turn off the on/off switch on the vacuum cleaner controls before disconnecting or connecting from the mains supply.
4. Always unplug the vacuum cleaner before connecting or disconnecting the vacuum hose and accessories.
5. Children should be supervised to ensure that they do not play with the appliance.
6. This appliance is not intended for use by children under eight years of age and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance in a safe way and understands the hazards involved.
7. Cleaning and maintenance shall not be made by children without supervision.
8. The appliance should only be used as described in the quick start guide or in the full online user guide.
9. Only Vax recommended attachments should be used with this appliance.
10. Do not use this vacuum cleaner if it has been dropped, damaged, left outdoors or dropped into water. Do not use this vacuum cleaner with a damaged cord or plug. If the supply cord is damaged return the vacuum cleaner to a Vax authorised Service Agent or a suitably qualified person for examination, repair or adjustment.
11. Do not pull or carry this appliance by the cord. Do not use the cord as a handle, close a door on the cord or pull the cord around sharp edges or corners. Do not run the vacuum cleaner over the cord. Keep the cord away from heated surfaces.
12. Do not handle the plug or the vacuum cleaner with wet hands.
13. Keep hair, loose clothing, fingers and all parts of the body away from openings and moving parts.
14. Do not vacuum up any hot coals, cigarette butts, matches or any hot, smoking or burning objects.
15. Do not vacuum up hard or sharp objects such as glass, nails, screws, coins, etc. without ALL of the filters in place.
16. Do not vacuum up harmful or toxic material (chlorine, bleach, ammonia, drain cleaner etc.)
17. Do not vacuum up hard or sharp objects such as glass, nails, screws, coins etc.
18. Store the vacuum cleaner in a cool, dry area.
19. Use only CE approved 13 amp extension cords. Non-approved cords may overheat. Care should be taken to arrange the cord so that the cord cannot be tripped over.
20. Do not put any objects into openings. Do not use with any openings blocked and do not restrict airflow. Keep all openings free of dust, lint, hair or anything that might reduce airflow.
21. Do not use without all of the filters in place.
22. Take extra care when vacuuming on the stairs.
23. Keep vacuuming area well lit.

## Initial setup for normal operation

1. Use the base accessories.  
Shortest hose  
Extension tube set to shortest practicable length.
2. Clean filters installed.
3. Dust receptacle empty.
4. All Bleeds must be closed.
5. Variable Power set to Maximum.
6. Floor heads/tools set to Carpet Mode for carpet cleaning.
7. Mechanical Agitation turned ON for carpet cleaning.
8. Floor heads/tools set to Hard Floor Mode for hard floor cleaning.
9. Mechanical Agitation turned OFF for hard floor cleaning.

# Getting Started

## Assembling your vacuum cleaner




**CAUTION:** The vacuum cleaner is a very powerful unit. Before plugging the cord into the electrical socket, make sure the switch is in the 'off' position. Hold the vacuum cleaner firmly when starting and in use.

**NOTE:** The TurboTool (with TurboTool connector attached), Turbobrush, hard floor tool, crevice tool, upholstery tool and dusting brush can all be attached to the telescopic tube or hose handle.

**NOTE:** Stretch hose should **not** be used as the main vacuum hose. The stretch hose is recommended to be used for a period of 20 minutes maximum.

## Operating the appliance and accessories




**NOTE:** Fully unwind the power cord. A yellow mark on the cord indicates the recommended cord length. Do not exceed the cord length beyond the yellow mark.

# Maintenance


## Packing away and storage

**NOTE:** For convenience there is a parking slot located at the rear of the vacuum cleaner where the floor head and tubes can be attached for storage and carrying.


## Packing away and storage



## Emptying and cleaning the dirt container



## Advanced cleaning - primary separator




# Looking after your machine - Filters

## Advanced cleaning - cyclone separator

**WARNING:** Always switch off and unplug the vacuum cleaner from the electrical socket before assembling, opening or emptying the dirt container, or before connecting/disconnecting the attachments.

**WARNING: Filters require cleaning at least every three months.** Do not use your vacuum cleaner without all of the filters in place.




**NOTE:** Wipe to clean. Parts must be completely dry before using your machine.

## Cleaning the pre-motor filter

**IMPORTANT:** The motor is equipped with a thermal cut-out. If for any reason the unit should overheat, the thermostat will automatically turn the unit off. Should this occur, unplug the vacuum cleaner from the electrical socket and turn off the switch. Remove and empty the dirt container. Check the hose for blockages. Clean the filters. Allow the unit to cool for approximately one hour (if you have cleaned the filters you will need to wait twenty four hours for the filters to dry before putting them back in the machine). To re-start the machine, plug it into an electrical socket and switch it back on.



## Cleaning the HEPA post-motor filter



Follow the instructions to unlock the cover to remove the post-motor filter. Dry clean the post-motor filter and put back in place.

Dislodge any excess dirt by gently tapping the post-motor filter over a bin.

Insert the cover back with the symbols being horizontal. Follow the instruction to lock the cover until it clicks back in place

**WARNING:** Do not wash the post-motor filter.

# Looking after your machine - Removing Blockages

**WARNING:** To reduce the risk of electric shock, the power cord must be disconnected before performing maintenance/troubleshooting checks. Turn the vacuum cleaner off and unplug from the electrical socket.

**IMPORTANT:** If the air inlet, hose or telescopic tube is blocked, switch off the vacuum cleaner and remove the blockage(s) before re-starting the vacuum cleaner.

## Clearing blockages

### Hose blockages

The flexible hose may be disconnected from the vacuum cleaner. Carefully remove any blockages found and reconnect the hose securely.


### Accessory blockages

Remove accessory from the hose/telescopic tube. Carefully remove the blockage and return to the cleaner.


## Removing blockages from the TurboTool (some models only)



Turn the TurboTool over and slide off the locking ring.



Detach lower housing and remove blockage.



To re-assemble the TurboTool, ensure that the tabs are engaged and pivot the lower housing closed. Slip the locking ring over the neck of the TurboTool and into the groove to finish.



**WARNING:** To reduce the risk of personal injury, unplug the vacuum cleaner before performing maintenance/troubleshooting checks.

## Is there an accessory missing?

- Check the 'Parts Overview' page in this guide to make sure the part is definitely included in your unit.
- If it is missing, we're here to help. Simply call us on **0844 412 8455**

## Why won't the vacuum cleaner pick up?

- The dirt container may be incorrectly installed; remove the dirt container from the unit by pressing the dirt container release catch and then reattaching it to the unit, ensuring it is locked firmly back into place.
- The filter may be clogged; refer to 'Maintenance: Cleaning the filters' on pages 5 and 6.
- The dirt container may be blocked; refer to 'Maintenance: Emptying and cleaning the dirt container' on page 5.
- There may be a blockage in the tube/hose. Disconnect from the vacuum cleaner, carefully remove any blockages found and reconnect securely.

## Why is dust escaping from the vacuum?

- The filter may be clogged; refer to 'Maintenance: Cleaning the filters' on pages 5 and 6.
- The dirt container may be blocked; refer to 'Maintenance: Emptying and cleaning the dirt container' on page 5.
- The dirt container may be incorrectly installed; remove the dirt container from the unit by pressing the dirt container release catch and then reattaching it to the unit, ensuring it is locked firmly back into place.

## What do I do if the unit/an accessory becomes damaged or broken?

- We're here to help. Simply call **0844 412 8455** or visit [vax.co.uk](http://vax.co.uk)

## Why won't the accessories pick up properly?

- **Hose blockages:** remove the hose from the unit. Carefully remove any blockages found and reconnect hose securely.
- **Accessory blockages:** remove accessory from handle/tube. Carefully remove blockage and re-attach to the vacuum cleaner.
- The accessory may be faulty. Simply call us on **0844 412 8455** for assistance.

## Why will the vacuum cleaner not run?

- It may not be plugged into the electrical socket correctly; ensure that the plug is pushed in securely.
- The electrical socket may not be working properly; check the fuse or breaker, or consult an electrician.
- The motor thermostat may have tripped; switch off and unplug the vacuum cleaner, and leave for one hour before switching the cleaner back on.

You're home.™

It's quick and easy to register for your  
**FREE 6 year guarantee**  
online at: [vax.co.uk/guarantees](http://vax.co.uk/guarantees)


Please retain your original receipt for proof of purchase.

UK based customer care centre — Open 6 days a week

Monday-Friday	8:30am-18:30pm
Saturday	9:00am-17:00pm

## we're here if you need us

Instead of taking me back to the shop, simply visit:  
[vax.co.uk/support](http://vax.co.uk/support) or call (UK) 0844 412 8455 (ROI) 1-800 928 308

Let us know what you think @VaxUK 



**6 year  
guarantee**



You're home.™

Vax Ltd., Kingswood Road, Hampton Lovett, Droitwich, Worcestershire, WR9 0QH, UK  
email: [info@vax.co.uk](mailto:info@vax.co.uk) website: [vax.co.uk](http://vax.co.uk)